

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: BARIGA LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Thrice in a week.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes, I believe there is a great need to monitor the wells so as to know when/if the water is not contaminated.

Would you allow your well(s) to be tested if it will prevent sickness?

Of course yes.

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 25/8/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Beriga local Govt

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) East

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) East

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water? Every
two weeks

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? Yes there is a need due to micro organisms located around the environment can contaminate the well. If not covered.

Would you allow your well(s) to be tested if it will prevent sickness? Yes

Do you know of ways in which groundwater in your area can be easily contaminated? Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 23/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: BARIKA LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

EVERY DAY

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: BARIKA LOCAL GOVERNMENT.

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

NW

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: BARIGA LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: BARKING LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) East

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) North

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

> 10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (*shalanga*) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *Yes*

Would you allow your well(s) to be tested if it will prevent sickness? *Yes*

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/05/08

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: ISLAND

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

once a week

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

There is need to monitor wells in order to ensure the water is safe for consumption. The water from the well is used for drinking and cooking.

Would you allow your well(s) to be tested if it will prevent sickness?

It will be a good idea to test the water.

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushin Local Govt.

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- > 10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: MUSTIN LOCAL Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushin Local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

YES

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 18/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushin Local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
>10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 22/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushiny Local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
>10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

EVERY DAY

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushin

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) WEST

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
> 10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *There is know need for that Refusing*

Would you allow your well(s) to be tested if it will prevent sickness?

Yes, of course, is for my own benefit.

Do you know of ways in which groundwater in your area can be easily contaminated?

Because of leaky on the floor, it can easily contaminated.

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Mushin local government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) West

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
> 10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness? YES

Do you know of ways in which groundwater in your area can be easily contaminated? NO

1 beat

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: _____

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: *MUSHIN LG Area*

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 23-08-09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: LAGOS MAINLAND

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (shalanga) (YES/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Once in two (2) months

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? NO

Would you allow your well(s) to be tested if it will prevent sickness? YES

Do you know of ways in which groundwater in your area can be easily contaminated? NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 25/08/2007

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: LAGOS MAINLAND

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- > 10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: LAGOS MAINLAND

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 29/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Logos mainland

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
>10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?
When it is dirty.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *Yes*

Would you allow your well(s) to be tested if it will prevent sickness? *Yes*

Do you know of ways in which groundwater in your area can be easily contaminated? *Yes-*

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/07/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: LAGOS MAINLAND

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/8/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos - Mainland

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

> 10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos - Mamm Lam

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

> 10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos - Mainland

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21/08/09

Gender: Male Female

Occupation:

Rent Landlord (owner)

Local Government Area: Lagos Mainland

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) **WEST**

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

< 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Every day

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

- Testing and treating it with water guard.

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

- YES

- By putting different buckets and ropes.

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 29/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos Island

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

> 10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 27/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos Island

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

YES

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

YES

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 27/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos - Island

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21-08-09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Lagos Island

Number of Wells

Boreholes 1 Dug wells (Konga) 1

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) West

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) WEST

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

once in a month.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? YES.

Would you allow your well(s) to be tested if it will prevent sickness?

NO

Do you know of ways in which groundwater in your area can be easily contaminated? NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 25/05/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: ALimosho

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

EVERY DAY

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: ALimosho

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) North

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

> 10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES) / ~~(NO)~~

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES) / ~~(NO)~~

~~NO~~ YES

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 22/8/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: ALimoso LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- > 10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

There is a need of cleaning the bucket for drawing water

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 23/8/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: ALimosho

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO) ✓

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO) ✓

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness? YES

Do you know of ways in which groundwater in your area can be easily contaminated? YES

(1) closeness of Latrines to the well

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 29/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Alimosho local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Alimosho

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) West

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- > 10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Yes

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/8/03

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Alimosho

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO) NO

How often do you clean (sanitize) the bucket and ropes used for drawing water?

We use tap

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO) YES

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes for those using that.

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Ours is covered

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Shomolu Local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/~~(NO)~~

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (~~YES~~)
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *yes*

Would you allow your well(s) to be tested if it will prevent sickness?

yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 22nd of August 2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Shomolu local Government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters ✓
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Every two weeks.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *YES*

Would you allow your well(s) to be tested if it will prevent sickness? *YES*

Do you know of ways in which groundwater in your area can be easily contaminated? *NO*

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 27/08/2009

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Shomolu

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES
Would you allow your well(s) to be tested if it will prevent sickness?

YES
Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 25/08/2029

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: SHOMOLU LOCAL GOVERNMENT.

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24 August 2009

Gender: Male Female

Occupation STUDENT

Rent Landlord (owner)

Local Government Area: OSHODI/ISKRA LOCAL GOVT AREA

Number of Wells

Boreholes 2 Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

WEEKEND

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *yes*

Would you allow your well(s) to be tested if it will prevent sickness?

yes

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 28/08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Oshodi Isolo

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Yes of course

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/2009

Gender: Male Female

Occupation STUDENT

Rent Landlord (owner)

Local Government Area: OSHODI LOCAL GOVERNMENT

Number of Wells

Boreholes Dug wells (Konga) 1

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

>20 meters

Is the well(s) entrance constructed with CONCRETE (NO CONCRETE)

Pit Latrines (shalanga) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

once in a week

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/

(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 27/08/2007

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Oshodi, Ibeju

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)
< 10 meters
>10 meters but < 20 meters
> 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Yes

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

There is a need of monitor the well because dirty dust should not fall into the water for contaminants.

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/02/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: oshodi 18010

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but <20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (shalanga) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

twice in a month

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? *Yes*

Would you allow your well(s) to be tested if it will prevent sickness? *Yes*

Do you know of ways in which groundwater in your area can be easily contaminated? *Yes!*
with the use of different buckets and ropes by different people coming from another building/compound.

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 22/08/09

Gender: Male Female

Occupation :

Rent Landlord (owner)

Local Government Area: Oshodi Isiko

Number of Wells

Boreholes Dug wells (Konga) 1

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

For those who use it.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

Yes, by adding of impurities in it.

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21/09/2009

Gender: Male Female

Occupation.

Rent Landlord (owner)

Local Government Area: Oshodi Isiko

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) Both

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- > 10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (~~CONCRETE~~) (NO CONCRETE)

Pit Latrines (shalanga) (YES)/~~(NO)~~

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Everyday

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

YES

Would you allow your well(s) to be tested if it will prevent sickness?

YES

Do you know of ways in which groundwater in your area can be easily contaminated?

- * Soil fertility
- * Location of groundwater -
- * Poo usage -

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24/08/09

Gender: Male Female

Occupation Student

Rent Landlord (owner)

Local Government Area: esho di (S/L) Local govt

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) East

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East) South

Distance between wells and septic tanks (circle appropriate distance)

<10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water? we use ~~the~~ ^{pumping} machine

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)
~~Yes~~

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? Yes

Would you allow your well(s) to be tested if it will prevent sickness? Yes

Do you know of ways in which groundwater in your area can be easily contaminated? Yes

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21/11/2011

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Oshodi Isolo Local government

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 22/8/2009

Gender: Male Female

Occupation Student

Rent Landlord (owner)

Local Government Area: Kosofe local govt

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, ~~West~~ or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

>20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ ~~(NO)~~

How often do you clean (sanitize) the bucket and ropes used for drawing water?

3x clean of everytime

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
~~(NO)~~

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Yes

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21-08/09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: KOSOFE

Number of Wells 1

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with CONCRETE/ (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

every day

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? yes

Would you allow your well(s) to be tested if it will prevent sickness?

yes

Do you know of ways in which groundwater in your area can be easily contaminated?

NO

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21-08-09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: KOSOFE

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

< 10 meters

>10 meters but < 20 meters

> 20 meters

Is the well(s) entrance constructed with (CONCRETE) / (NO CONCRETE)

Pit Latrines (shalanga) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Every day.

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/
(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)? Yes.

Would you allow your well(s) to be tested if it will prevent sickness?

Yes

Do you know of ways in which groundwater in your area can be easily contaminated?

No

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 21-08-09

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: Kosofe

Number of Wells 1

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (~~shalanga~~) (YES)/(NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

every day

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/(NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

yes

Would you allow your well(s) to be tested if it will prevent sickness?

yes

Do you know of ways in which groundwater in your area can be easily contaminated?

no

Thanks for Answering these Questions

QUESTIONNAIRE on MONITORING and MAINTENANCE PROGRAM for RESIDENTIAL WELLS in LAGOS NIGERIA

Date: 24-08-07

Gender: Male Female

Occupation

Rent Landlord (owner)

Local Government Area: KOSOFE

Number of Wells

Boreholes Dug wells (Konga)

Location of wells

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Location of Septic Tanks

- Front of the Building
- Back of the building
- Side of the building (specify North, South, West or East)

Distance between wells and septic tanks (circle appropriate distance)

- < 10 meters
- >10 meters but < 20 meters
- > 20 meters

Is the well(s) entrance constructed with (CONCRETE)/ (NO CONCRETE)

Pit Latrines (**shalanga**) (YES)/ (NO)

How often do you clean (sanitize) the bucket and ropes used for drawing water?

Do you believe the bucket and ropes used for drawing water can contaminate the wells? (YES)/ (NO)

Do you believe there is a need to monitor your wells (i.e. Laboratory and field testing of your well water for contaminants)?

Would you allow your well(s) to be tested if it will prevent sickness?

Do you know of ways in which groundwater in your area can be easily contaminated?

Thanks for Answering these Questions